

Luchador Strawberry Pitaya

METRC Sample: 1A406030000F2FB000016352; METRC Batch: 1A4060300015BAB000000034

Sample ID: 2111CGL4023.9250	Produced: 11/16/2021	Distributor	Producer
Strain: Luchador Strawberry Pitaya	Collected: 11/18/2021	GK Management Services LLC	GK Management Services LLC
Matrix: Ingestible	Received: 11/18/2021	Lic. # C11-0001138-LIC	Lic. # CDPH-10004154
Type: Soft Chew	Completed: 11/22/2021	621 W Willow St	621 W Willow St Long Beach, CA 90806
Sample Size: 20 units; Batch: 5,000 units	Batch#: CL-K0921011	Long Beach, CA 90806	



Summary

Test	Date Tested	Result
Batch		Pass
Cannabinoids	11/19/2021	Complete
Water Activity	11/19/2021	0.65 aw - Pass
Residual Solvents	11/19/2021	Pass
Microbials	11/22/2021	Pass
Mycotoxins	11/22/2021	Pass
Pesticides	11/22/2021	Pass
Heavy Metals	11/22/2021	Pass
Foreign Matter	11/18/2021	Pass

Cannabinoids

Complete

10.177 mg/serving 0.295% Total THC	ND ND Total CBD	10.177 mg/serving 0.295% Total Cannabinoids
-------------------------------------------------	------------------------------	----------------------------------------------------------

Analyte	LOD	LOQ	Result	Result	Result	Result
	mg/g	mg/g	%	mg/g	mg/serving	mg/container
THCa	0.48	0.96	ND	ND	ND	ND
Δ9-THC	0.72	0.96	0.295	2.95	10.177	101.767
Δ8-THC	0.72	0.96	ND	ND	ND	ND
THCV	0.72	0.96	ND	ND	ND	ND
CBDa	0.48	0.96	ND	ND	ND	ND
CBD	0.72	0.96	ND	ND	ND	ND
CBDV	0.72	0.96	ND	ND	ND	ND
CBN	0.48	0.96	ND	ND	ND	ND
CBGa	0.48	0.96	ND	ND	ND	ND
CBG	0.72	0.96	ND	ND	ND	ND
CBC	0.48	0.96	ND	ND	ND	ND
Total THC			0.295	2.949	10.177	101.767
Total CBD			ND	ND	ND	ND
Total			0.295	2.949	10.177	101.767

Date Tested: 11/19/2021


1 Unit = 1 Gummy, 3.4504g, 1 unit(s) per serving, 10 serving(s) per container.

Potency by UHPLC: CGL-P-720-009-B

Total THC = THCa * 0.877 + Δ9-THC; Total CBD = CBDa * 0.877 + CBD

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.




Samantha Lui - Laboratory Director
11/22/2021

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



This product has been tested by Caligreen Laboratories using valid testing methodologies and a quality system as required by state law. Water activity and moisture content method: CGL-WAMC-ROHAUS. The instruments used are the Rotronic HC2-AW-USB Water Activity and Temperature meter and OHAUS MB27 Moisture Analyzer. The SOP for foreign material is CGL-FM-DINO performed with the Dino-Lite A904126 digital microscope. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). Analyte limits are regulatory limits set by the BCC. This constitutes the required decision rule. Values reported relate only to the product tested. Caligreen Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Caligreen Laboratories.



Caligreen Laboratory
13340 Saticoy Street Unit H
North Hollywood, CA 91605

(818) 979-9474
www.caligreenlaboratory.com
Lic# C8-0000104-LIC

Luchador Strawberry Pitaya

METRC Sample: 1A406030000F2FB000016352; METRC Batch: 1A4060300015BAB000000034

Sample ID: 2111CGL4023.9250	Produced: 11/16/2021	Distributor	Producer
Strain: Luchador Strawberry Pitaya	Collected: 11/18/2021	GK Management Services LLC	GK Management Services LLC
Matrix: Ingestible	Received: 11/18/2021	Lic. # C11-0001138-LIC	Lic. # CDPH-10004154
Type: Soft Chew	Completed: 11/22/2021	621 W Willow St	621 W Willow St Long Beach, CA 90806
Sample Size: 20 units; Batch: 5,000 units	Batch#: CL-K0921011	Long Beach, CA 90806	

Pesticides

Pass

Pesticides	LOD	LOQ	Limit	Mass	Status	Pesticides	LOD	LOQ	Limit	Mass	Status
	µg/g	µg/g	µg/g	µg/g			µg/g	µg/g	µg/g	µg/g	
Abamectin	0.0375	0.075	0.3	ND	Pass	Fludioxonil	0.01875	0.075	30	ND	Pass
Acephate	0.01875	0.075	5	ND	Pass	Hexythiazox	0.01875	0.075	2	ND	Pass
Acequinocyl	0.075	0.1	4	ND	Pass	Imazalil	0.01875	0.075	0.01875	ND	Pass
Acetamiprid	0.01875	0.075	5	ND	Pass	Imidacloprid	0.01875	0.075	3	ND	Pass
Aldicarb	0.01875	0.075	0.01875	ND	Pass	Kresoxim Methyl	0.01875	0.075	1	ND	Pass
Azoxystrobin	0.01875	0.075	40	ND	Pass	Malathion	0.01875	0.1	5	ND	Pass
Bifenazate	0.01875	0.075	5	ND	Pass	Metalaxyl	0.01875	0.1	15	ND	Pass
Bifenthrin	0.01875	0.1	0.5	ND	Pass	Methiocarb	0.01875	0.075	0.01875	ND	Pass
Boscalid	0.01875	0.075	10	ND	Pass	Methomyl	0.01875	0.075	0.1	ND	Pass
Captan	0.01875	0.075	5	ND	Pass	Mevinphos	0.01875	0.075	0.01875	ND	Pass
Carbaryl	0.01875	0.1	0.5	ND	Pass	Myclobutanil	0.01875	0.075	9	ND	Pass
Carbofuran	0.01875	0.075	0.01875	ND	Pass	Naled	0.01875	0.075	0.5	ND	Pass
Chlorantraniliprole	0.01875	0.1	40	ND	Pass	Oxamyl	0.01875	0.075	0.2	ND	Pass
Chlordane	0.01875	0.075	0.01875	ND	Pass	Pacllobutrazol	0.01875	0.075	0.01875	ND	Pass
Chlorfenapyr	0.01875	0.075	0.01875	ND	Pass	Parathion Methyl	0.01875	0.075	0.01875	ND	Pass
Chlorpyrifos	0.01875	0.075	0.01875	ND	Pass	Pentachloronitrobenzene	0.01875	0.075	0.2	ND	Pass
Clofentezine	0.01875	0.075	0.5	ND	Pass	Permethrin	0.01875	0.1	20	ND	Pass
Coumaphos	0.01875	0.075	0.01875	ND	Pass	Phosmet	0.01875	0.075	0.2	ND	Pass
Cyfluthrin	0.01875	0.075	1	ND	Pass	Piperonyl Butoxide	0.01875	0.1	8	ND	Pass
Cypermethrin	0.01875	0.075	1	ND	Pass	Prallethrin	0.01875	0.075	0.4	ND	Pass
Daminozide	0.01875	0.075	0.01875	ND	Pass	Propiconazole	0.01875	0.075	20	ND	Pass
Diazinon	0.01875	0.075	0.2	ND	Pass	Propoxur	0.01875	0.075	0.01875	ND	Pass
Dichlorvos	0.01875	0.075	0.01875	ND	Pass	Pyrethrins	0.0375	0.1	1	ND	Pass
Dimethoate	0.01875	0.075	0.01875	ND	Pass	Pyridaben	0.01875	0.075	3	ND	Pass
Dimethomorph	0.01875	0.1	20	ND	Pass	Spinetoram	0.01875	0.075	3	ND	Pass
Ethoprophos	0.01875	0.075	0.01875	ND	Pass	Spinosad	0.01875	0.075	3	ND	Pass
Etofenprox	0.0375	0.075	0.0375	ND	Pass	Spiromesifen	0.01875	0.075	12	ND	Pass
Etoxazole	0.01875	0.075	1.5	ND	Pass	Spirotetramat	0.01875	0.075	13	ND	Pass
Fenhexamid	0.0375	0.075	10	ND	Pass	Spiroxamine	0.01875	0.075	0.01875	ND	Pass
Fenoxycarb	0.01875	0.075	0.01875	ND	Pass	Tebuconazole	0.01875	0.075	2	ND	Pass
Fenpyroximate	0.05625	0.075	2	ND	Pass	Thiacloprid	0.01875	0.075	0.01875	ND	Pass
Fipronil	0.01875	0.075	0.01875	ND	Pass	Thiamethoxam	0.01875	0.075	4.5	ND	Pass
Fonicamid	0.0375	0.075	2	ND	Pass	Trifloxystrobin	0.01875	0.075	30	ND	Pass

Date Tested: 11/22/2021
Pesticides by LC-MSMS: CGL-P-720-007-B; Pesticides by GC-MSMS: CGL-P-720-008-B
LOQ = Limit of Quantitation; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.



Samantha Lui
Samantha Lui - Laboratory Director
11/22/2021

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



This product has been tested by Caligreen Laboratories using valid testing methodologies and a quality system as required by state law. Water activity and moisture content method: CGL-WAMC-ROHAUS. The instruments used are the Rotronic HC2-AW-USB Water Activity and Temperature meter and OHAUS MB27 Moisture Analyzer. The SOP for foreign material is CGL-FM-DINO performed with the Dino-Lite A904126 digital microscope. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). Analyte limits are regulatory limits set by the BCC. This constitutes the required decision rule. Values reported relate only to the product tested. Caligreen Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Caligreen Laboratories.



Luchador Strawberry Pitaya

METRC Sample: 1A406030000F2FB000016352; METRC Batch: 1A4060300015BAB000000034

Sample ID: 2111CGL4023.9250	Produced: 11/16/2021	Distributor	Producer
Strain: Luchador Strawberry Pitaya	Collected: 11/18/2021	GK Management Services LLC	GK Management Services LLC
Matrix: Ingestible	Received: 11/18/2021	Lic. # C11-0001138-LIC	Lic. # CDPH-10004154
Type: Soft Chew	Completed: 11/22/2021	621 W Willow St	621 W Willow St Long Beach, CA 90806
Sample Size: 20 units; Batch: 5,000 units	Batch#: CL-K0921011	Long Beach, CA 90806	

Microbials

Pass

Microbials	Result	Status
Shiga toxin-producing E. Coli	Not Detected in 1g	Pass
Salmonella SPP	Not Detected in 1g	Pass

Date Tested: 11/22/2021
 Microbials by qPCR: CGL-P-720-013-ATNTC = Too Numerous to Count

Mycotoxins

Pass

Mycotoxins	LOD	LOQ	Limit	Result	Status
	µg/kg	µg/kg	µg/kg	µg/kg	
B1	1.25	5		ND	Tested
B2	1.25	5		ND	Tested
G1	1.25	5		ND	Tested
G2	2.5	5		ND	Tested
Total Aflatoxins			20	ND	Pass
Ochratoxin A	6.6	16.6	20	ND	Pass

Date Tested: 11/22/2021
 Mycotoxins by LC-MSMS: CGL-P-720-007-B
 LOQ = Limit of Quantitation

Heavy Metals

Pass

Metals	LOD	LOQ	Limit	Result	Status
	µg/g	µg/g	µg/g	µg/g	
Arsenic	0.000124	0.05	1.5	<LOQ	Pass
Cadmium	0.000111	0.05	0.5	<LOQ	Pass
Lead	0.000119	0.05	0.5	<LOQ	Pass
Mercury	0.000097	0.05	3	<LOQ	Pass

Date Tested: 11/22/2021
 Heavy Metals by ICP-MS: CGL-P-720-012-B
 LOQ = Limit of Quantitation



Samantha Lui - Laboratory Director
 11/22/2021

Confident Cannabis
 All Rights Reserved
 support@confidentcannabis.com
 (866) 506-5866
 www.confidentcannabis.com



This product has been tested by Caligreen Laboratories using valid testing methodologies and a quality system as required by state law. Water activity and moisture content method: CGL-WAMC-ROHAUS. The instruments used are the Rotronic HC2-AW-USB Water Activity and Temperature meter and OHAUS MB27 Moisture Analyzer. The SOP for foreign material is CGL-FM-DINO performed with the Dino-Lite A904126 digital microscope. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). Analyte limits are regulatory limits set by the BCC. This constitutes the required decision rule. Values reported relate only to the product tested. Caligreen Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Caligreen Laboratories.



Caligreen Laboratory
13340 Saticoy Street Unit H
North Hollywood, CA 91605

(818) 979-9474
www.caligreenlaboratory.com
Lic# C8-0000104-LIC

Luchador Strawberry Pitaya

METRC Sample: 1A406030000F2FB000016352; METRC Batch: 1A4060300015BAB000000034

Sample ID: 2111CGL4023.9250	Produced: 11/16/2021	Distributor	Producer
Strain: Luchador Strawberry Pitaya	Collected: 11/18/2021	GK Management Services LLC	GK Management Services LLC
Matrix: Ingestible	Received: 11/18/2021	Lic. # C11-0001138-LIC	Lic. # CDPH-10004154
Type: Soft Chew	Completed: 11/22/2021	621 W Willow St	621 W Willow St Long Beach, CA 90806
Sample Size: 20 units; Batch: 5,000 units	Batch#: CL-K0921011	Long Beach, CA 90806	

Residual Solvents

Pass

Solvents	LOD	LOQ	Limit	Mass	Status
	µg/g	µg/g	µg/g	µg/g	
1,2 Dichloroethane	0.2344	0.4688	1	ND	Pass
Acetone	23.438	187.5	5000	ND	Pass
Acetonitrile	23.438	187.5	410	ND	Pass
Benzene	0.2344	0.4688	1	ND	Pass
Butane	23.438	93.75	5000	ND	Pass
Chloroform	0.2344	0.4688	1	ND	Pass
Ethanol	23.438	187.5	5000	ND	Pass
Ethyl Acetate	23.438	187.5	5000	ND	Pass
Ethyl-Ether	23.438	187.5	5000	ND	Pass
Ethylene Oxide	0.2344	0.4688	1	ND	Pass
Heptane	23.438	187.5	5000	ND	Pass
Isopropanol	23.438	187.5	5000	ND	Pass
m+p Xylene	23.438	187.5		ND	Tested
Methanol	93.75	187.5	3000	ND	Pass
Methylene Chloride	0.2344	0.4688	1	ND	Pass
n-Hexane	23.438	187.5	290	ND	Pass
o-Xylene	23.438	187.5		ND	Tested
Pentane	23.438	187.5	5000	ND	Pass
Propane	23.438	93.75	5000	ND	Pass
Toluene	23.438	187.5	890	ND	Pass
Trichloroethene	0.2344	0.4688	1	ND	Pass
Xylenes	23.438	187.5	2170	ND	Pass

CALIGREEN
LABORATORY

TESTED & TRUSTED

Date Tested: 11/19/2021

Solvents by HSGC-MS Method: SOP CGL-P-720-010-B

LOQ = Limit of Quantitation; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.



Samantha Lui - Laboratory Director
11/22/2021

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



This product has been tested by Caligreen Laboratories using valid testing methodologies and a quality system as required by state law. Water activity and moisture content method: CGL-WAMC-ROHAUS. The instruments used are the Rotronic HC2-AW-USB Water Activity and Temperature meter and OHAUS MB27 Moisture Analyzer. The SOP for foreign material is CGL-FM-DINO performed with the Dino-Lite A904126 digital microscope. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). Analyte limits are regulatory limits set by the BCC. This constitutes the required decision rule. Values reported relate only to the product tested. Caligreen Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Caligreen Laboratories.